

Kontakt


Alexander Groß

Dipl.-Ing. (BA)

[@agross](#)

<http://therightstuff.de>

agross@therightstuff.de





.NET
User Group Leipzig





keine vorher festgelegte Agenda

keine Rollenaufteilung in „Sprecher“
und „Zuhörer“

Selbstorganisation

Teilnahme
ist
kostenlos

alle sind
gleich

keine
endlosen
Foliensätze

Erfahrungs-
austausch im
Vordergrund

keine vorher
definierten
„Slots“

„Konferenz
aus
Kaffeepausen“



.NET Open Space 2010

[Arbeitsbereiche](#)[Teilnehmer](#)[Anreise](#)[Unterkünfte](#)[Fragen](#)[Presse](#)[Sponsoren](#)[English](#)

Navigation

- [Hauptseite](#)
- [Aktuelles](#)
- [Alle Seiten](#)
- [Nach Kategorien](#)
- [An-/Abmelden](#)
- [Registrieren](#)
- [Dein Profil](#)
- [Sprachauswahl](#)
- [Neue Seite erstellen](#)
- [Dateiverwaltung](#)
- [Administration](#)

Suche

[Erweiterte Suche »](#)


Willkommen

Geändert am 04.11.2010 21:51 von [Torsten Weber](#) Kategorisiert als Allgemein

[Diskutieren \(0\)](#)[Quelltext der Seite anzeigen](#)[Verlauf](#)

Willkommen beim .NET Open Space 2010, der am 16./17.10.2010 wieder in Leipzig stattfand

Die besten Gespräche hat man fernab von einer festgelegten Agenda, bei einem Kaffee und beim "du". Hier gibt es keine Rollenaufteilung in Sprecher / Zuhörer, Entwickler / Administrator, Softwareentwickler / Projektmanager usw. und die Themen finden sich vor Ort ganz von selbst. Das ist die Idee vom .NET Open Space: Alle sind gleich! Auch die [Organisatoren](#) halten sich im Hintergrund und moderieren nur wenig. Verantwortliche der [Themenfelder](#) .NET / ALT.NET, Clean Code Developer, Language Oriented Programming, Mobile Computing, Microsoft SQL Server, Soft Skills und User Interfaces / User Experience sorgen mit Einladungen für viele Teilnehmer.

Welche Inhalte in den einzelnen Themenfeldern bearbeitet werden, bestimmst *du* vor Ort, denn die Veranstaltung ist [Open Space](#) ! Die Teilnahme ist kostenlos. Erfahrungsaustausch ist das A und O und steht im Vordergrund. Die Sprache beim .NET Open Space 2010 ist Deutsch. Mehr gibt's nicht zu sagen. Erlebe *die* "Unkonferenz", die sich auf Erfahrungsaustausch konzentriert.



netopenspace.de

Andere Jahrgänge

Anderswo



no

@

vo

m

#n

vo



Aaron Jensen

@aaronjensen Seattle, WA

Software guy, poor golfer, occasional blogger, poker quitter, master of mediocrity, random and creative thinker enjoying life in Ballard

<http://codebetter.com/blogs/aaron.jensen/default.aspx>

Aaron Jensen, Alexander Groß, Jacob Lewallen,
smaclell, Jeffrey Olson, Barry Woods, Lee Henson,
Stephen Czetty, SaintGimp, Ivan Korneliuk,
Laurent Kempé, abombss, Sean Carpenter, Jeffery
Olson, James Gregory, Scott Parker, Chris Bilson,
Cristian Prieto

Signal vs. Noise

```
[TestClass]
public class AccountControllerTest
{
    [TestMethod]
    public void LogOn_Post_ReturnsRedirectOnSuccess_WithoutReturnUrl()
    {
        AccountController controller = GetAccountController();
        LogOnModel model = new LogOnModel()
        {
            UserName = "someUser",
            Password = "goodPassword",
            RememberMe = false
        };

        ActionResult result = controller.LogOn(model, null);

        Assert.IsInstanceOfType(result, typeof(RedirectToRouteResult));
        RedirectToRouteResult redirectResult = (RedirectToRouteResult)result;
        Assert.AreEqual("Home", redirectResult.RouteValues["controller"]);
        Assert.AreEqual("Index", redirectResult.RouteValues["action"]);
        Assert.IsTrue(((MockFormsAuthenticationService)controller.FormsService)
            .SignIn_WasCalled);
    }
}
```



```
public class When_a_user_logs_in_with_valid_credentials  
{
```

```
    It should_authenticate_the_user;
```

```
    It should_redirect_to_the_home_page;
```

```
}
```

```
public class When_a_user_logs_in_with_valid_credentials
{
    Establish context = () =>
    {
        // Arrange
    };

    Because of = () =>
    {
        // Act
    };

    It should_authenticate_the_user =
        () => { /* Assert */ };

    It should_redirect_to_the_home_page =
        () => { /* Assert */ };
}
```

A

A

A

P_nis Operator



= () =>

1<Tab>

() => | ;

11<Tab>

() => { | } ;



1 x 1 x n x

+ base classes

~~[SetupForEachSpecification]~~



Exception Handling



```
Catch.Exception(() => { fails(); });
```

Templates

<http://therightstuff.de/2010/03/03/MachineSpecifications-Templates-For-ReSharper.aspx>

Behaviors



HELO PETER



I CAN HAS TPS REPORT?

Reporting

Niceties

- `IAssemblyContext`
- ReSharper Annotations
- Side-By-Side Specs
- TeamCity-Support
- Mighty Moose

Web Testing mit Selenium RC



Downloads

CI Builds

<http://teamcity.codebetter.com/>

nuget

Install-Package machine.specifications

OpenWrap

o add-wrap machine.specifications

Get involved

<https://github.com/machine/machine.specifications>



[Pricing and Signup](#) | [Explore GitHub](#) | [Features](#) | [Blog](#) | [Login](#)

👤 machine / machine.specifications

👁 Watch **Fork** 👁 203 🍴 68

Source | [Commits](#) | [Network](#) | [Pull Requests \(2\)](#) | [Issues \(13\)](#) | [Graphs](#) | Branch: master

Switch Branches (1) ▾ | Switch Tags (0) | Branch List

HTTP | Git Read-Only | ⓘ This URL has **Read-Only** access

📄 Downloads

Adding timing info for the run and assemblies to the XML report



agross (author)
December 23, 2010

commit b49221c6909a24ea60ce
tree 5530779c6dd168428f68
parent 6819593369a4a5467bdd

Get involved

Mailing List

http://groups.google.com/group/machine_users

Samples

<http://github.com/agross/duplicatefinder>

<http://github.com/agross/mspec-samples>

